



Marion Utilities
1540 N. Washington St.
Marion IN 46952
www.marionutilities.com

Marion Utilities

Industrial User Discharge Permit

The permit application must be completed through question E.1. If you answer “no” to question E.1., you may skip to Section I. Otherwise, if a question is not applicable, indicate so on the form. Instructions to some permit application questions are given at the end of the application form.

SECTION A - GENERAL INFORMATION

1. Facility Name: _____

2. Facility Address
Street: _____
City: _____ State: _____ Zip: _____

3. Mailing Address:
Street: _____
City: _____ State: _____ Zip: _____

4. Designated signatory authority of the facility (Attach similar information for each authorized rep):
Name: _____ Title: _____
Mailing Address: _____
City: _____ State: _____ Zip: _____

5. Designated Facility Contact:
Name: _____ Title: _____
Phone: _____ FAX Number: _____
Email Address: _____



SECTION B - BUSINESS ACTIVITY

If your facility employs or will be employing processes in any of the industrial categories or business activities listed below (regardless of whether or not they generate wastewater, waste sludge, or hazardous wastes), place a check beside the category of business activity (check all that apply).

Industrial Categories

- Aluminum Forming
- Asbestos Manufacturing
- Battery Manufacturing
- Can Making
- Canned & Preserved Fruit & Vegetable Processing
- Canned & Preserved Seafood
- Carbon Black Manufacturing
- Cement Manufacturing
- Centralized Waste Treatment
- Coal Mining
- Coil Coating
- Concentrated Animal Feeding Operation & Feedlots
- Concentration Aquatic Animal Production
- Copper Forming
- Dairy Product Processing or Manufacturing
- Electric & Electronic Component Manufacturing
- Electroplating
- Explosives Manufacturing
- Fertilizer Manufacturing
- Ferro-alloy Manufacturing
- Foundries (Metal Molding & Casting)
- Glass Manufacturing
- Grain Mills
- Gum & Wood Chemicals Manufacturing
- Hospital
- Ink Formulation
- Inorganic Chemicals
- Iron & Steel
- Landfill
- Leather Tanning & Finishing
- Meat & Poultry Products
- Metal Finishing
- Metal Products & Machinery
- Mineral Mining & Processing
- Nonferrous Metals Forming
- Nonferrous Metals Manufacturing
- Oil & Gas Extraction
- Ore Mining
- Organic Chemicals Manufacturing

- Paint & Ink Formatting
- Paving & Roofing Manufacturing
- Petroleum Refining
- Pharmaceutical Manufacturing
- Phosphate Manufacturing
- Photographic Processing
- Plastic & Synthetic Materials Manufacturing
- Porcelain Enameling
- Printed Circuit Board Manufacturing
- Rubber Manufacturing
- Soap & Detergent Manufacturing
- Steam Electric Power Generating
- Sugar Processing
- Textile Mills
- Timber Products
- Transportation Equipment Cleaning
- Waste Combustors
- Other _____

Give a brief description of all operations at this facility including primary products or services (attach additional sheets if necessary):

Indicate applicable North American Industry Classification System (NAICS) for all processes:

- a. _____
- b. _____
- c. _____
- d. _____
- e. _____

Production Rate, for production-based categorical IUs only.

Product	Past Calendar Year Amounts Per Day (Daily Units)		Estimate This Calendar Year Amounts Per Day (Daily Units)	
	Average	Maximum	Average	Maximum

For production-based categorical IUs only: _____

What is the facility's long-term average categorical productions rate for the past five years? _____

SECTION C - WATER SUPPLY

Water Sources: (Check as many as are applicable.)

- Private Well
 Surface Water
 Marion Utilities
 Other (Specify): _____

Name (as listed on water bill):

Street: _____

City: _____ State: _____ Zip: _____

Water Services Account Number _____

List average water usage on premises: (new facilities may estimate)

Type		Average Water Usage (GPD)	Indicate Estimated (E) or Measured (M)
a.	Contact cooling water		
b.	Non-contact cooling water		
c.	Boiler feeding		
d.	Process		
e.	Sanitary		
f.	Air pollution control		
g.	Contained in product		
h.	Plant & equipment washdown		
i.	Irrigation & lawn watering		
j.	Other		
k.	Total of a through j		

SECTION D - SEWER INFORMATION

For an existing business:

Is the building presently connected to the public sanitary sewer system?

Yes
 No

Sanitary sewer account number: _____

Have you applied for a sanitary hookup? Yes No

For a new business:

Will you be occupying an existing vacant building
 (Such as in a park)? Yes No

Have you applied for a building permit if a new facility
 will be constructed? Yes No

Will you be connected to the public sanitary sewer system? Yes No

List size, descriptive location, and flow of each discharge pipe or discharge point, which connects to the City's sewer system.

Descriptive Location of Sewer Connection or Discharge Point	Average Flow (GPD)

SECTION E - WASTEWATER DISCHARGE INFORMATION

Does(or will) this facility discharge any wastewater other than from restrooms to the City sewer?

- Yes (If yes, complete the remainder of the application.)
 No (If no, skip to Section 1.)

Provide the following information on wastewater flow rate. (New facilities may estimate)

Hours/day discharged (i.e. 8 hours/day)

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday

Hours of discharge (i.e. 9 am to 5 pm)

Monday	Tuesday	Wednesday	Thursday	Friday	Saturday	Sunday

Peak hourly flow rate _____ (GPH) _____
 Maximum daily flow rate _____ (GPD) _____
 Annual daily average _____ (GPD) _____

If batch discharge occurs or will occur, indicate: (New facilities may estimate.)

Number of batch discharges _____ (per day) _____
 Av. discharge per batch _____ (GPD) _____
 Time of batch discharges _____ (days of week) _____ (hours of day) _____
 Flow rate _____ (gallons per minute) _____
 Percent of total discharge _____

Schematic Flow Diagram

For each major activity in which wastewater is or will be generated, draw a diagram of the flow of materials, products, water, and wastewater from the start of the activity to its completion, showing all unit processes. Indicate which processes use water and which generate waste streams. Include the average daily volume and maximum daily volume of each waste stream [new facilities may estimate]. If estimates are used for flow data this must be indicated. Number each unit process having wastewater discharges to the community sewer. Use these numbers when showing this unit processes in the building layout in Section H.

List average wastewater discharge, maximum discharge, and type of discharge (batch, continuous, or both), for each plant process. Include the reference number from the process schematic that corresponds to each process. [New facilities should provide estimates for each discharge].

No.	Process Description	Average Flow (GPD)	Maximum Flow (GPD)	Type of Discharge (batch, continuous, none)

List the average wastewater discharge, maximum discharge, and type of discharge (batch, continuous, or both) for each of non-process wastewater flows (i.e., cooling tower blow down, boiler blow down).

No.	Non-process Description	Average Flow (GPD)	Maximum Flow (GPD)	Type of Discharge (batch, continuous, none)

Do you have, or plan to have, automatic sampling equipment or continuous wastewater flow equipment at this facility?

		Yes	No	N/A
Current	Flow Meeting			
	Sampling Equipment			
Planned	Flow Meeting			
	Sampling Equipment			

If so, please indicate the present or future location of this equipment on the sewer schematic and describe the equipment below:

Are any process changes or expansions planned during the next three years that could alter wastewater volumes or characteristics? Consider production processes as well as air or water pollution treatment processes that may affect the discharge.

- Yes
 No (skip to Question 10)

Briefly describe these changes and their effects on the wastewater volume and characteristics: (attach additional sheets if needed).

Are any recycling or reclamation system in use or planned?

Yes

No (skip to Section F)

Briefly describe recovery process, substance recovered, percent recovered, and the concentration in the spent solution. Submit a flow diagram for each process (attach additional sheets if needed):

SECTION F - CHARACTERS OF DISCHARGE

All current industrial users are required to submit monitoring data on all pollutants that are regulated specific to each process. Use the tables provided in this section to report the analytical results. Do not leave blanks. For all other (non-regulated) pollutants, indicate whether the pollutant is known to be present (P), suspected to be present (S), or known not to be present (O), by placing the appropriate letter in the column for average reported values. Indicate on either the top of each table, or on a separate sheet, if necessary, the sample location and type of analysis used. Be sure methods conform to 40 CFR Part 136; if they do not, indicate what method was used.

New dischargers should use the table to indicate what pollutants will be present or are suspected to be present in proposed waste streams by placing a P (expected to be present), S (may be present), or O (will not be present) under the average Mass reported values.

Pollutant	Detection Level Used	Maximum Daily Value		Average of Analyses		Number of Analyses	Units	
		Conc.	Mass	Conc.	Mass		Conc.	Mass
Acenaphthene								
Acrolein								
Acrylonitrile								
Benzene								
Benzidine								
Carbon Tetrachloride								
Chlorobenzene								
1,2,4-Trichlorobenzene								
Hexachlorobenzene								
1,2-Dichloroethane								
1,1,1-Trichloroethane								
1,1,2,2-Tetrachloroethane								
Chloroethane								
Bis(2-Chloroethyl)ether								
17 Bis (chloro methyl) ether								
2-Chloroethyl vinyl Ether								
2-Chloronaphthalene								
2,4,6-Trichlorophenol								
Parachlorometa cresol								
Chloroform								
2-Chlorophenol								
1,2-Dichlorobenzene								
1,3-Dichlorobenzene								
1,4-Dichlorobenzene								
3,3'-Dichlorobenzidine								
1,1-Dichloroethylene								
1,2-Trans-Dichloroethylene								

Pollutant	Detection Level Used	Maximum Daily Value		Average of Analyses		Number of Analyses	Units	
		Conc.	Mass	Conc.	Mass		Conc.	Mass
2,4-Dichlorophenol								
1,2-Dichloropropane								
1,2-Dichloropropylene								
1,3-Dichloropropylene								
2,4-Dimethylphenol								
2,4-Dinitrotoluene								
2,6-Dinitrotoluene								
1,2-Diphenylhydrazine								
Ethylbenzene								
Fluoranthene								
4-Chlorophenyl Phenyl Ether								
4-Bromophenyl Phenyl Ether								
Bis(2-Chloroethyl)ether								
Bis(2-chloroethoxy)methane								
Methylene Chloride								
Methyl Chloride								
Bromoform								
Dichlorobromomethane								
Chlorodibromomethane								
Hexachlorobutadiene								
Hexachlorocyclopentadiene								
Isophorone								
Naphthalene								
Nitrobenzene								
Nitrophenol								
2-Nitrophenol								
4-Nitrophenol								
2,4-Dinitrophenol								
4,6-Dinitro-O-Cresol								
N-Nitrosodimethylamine								
N-Nitrosodiphenylamine								
N-Nitrosodi-N-Propylamine								
Pentachlorophenol								
Phenol								
Bis(2-ethylhexyl)phthalate								

Pollutant	Detection Level Used	Maximum Daily Value		Average of Analyses		Number of Analyses	Units	
		Conc.	Mass	Conc.	Mass		Conc.	Mass
Butylbenzyl Phthalate								
Di-N-Butyl Phthalate								
Di-N-Octyl Phthalate								
Diethyl Phthalate								
Dimethyl Phthalate								
Benzo(a)anthracene								
Benzo(a)anthracene								
Benzo(a)pyrene								
3,4-Benzofluoranthene								
Benzo(k)fluoranthene								
Chrysene								
Acenaphthylene								
Anthracene								
Benzo(ghi)perylene								
Fluorene								
Phenanthrene								
Dibenzo(a,h)anthracene								
Indeno(1,2,3-cd)pyrene								
Pyrene								
Tetrachloroethylene								
Toluene								
Trichloroethylene								
Vinyl Chloride								
Aldrin								
Dieldrin								
Chlordane								
4,4'-DDT								
4,4'-DDE								
4,4'-DDD								
Alpha-Endosulfan								
Beta-Endosulfan								
Endosulfan Sulfate								
Endrin								
Endrin Aldehyde								
Heptachlor								
Heptachlor Epoxide								
Alpha-BHC								
Beta-BHC								
Gamma-BHC								

Pollutant	Detection Level Used	Maximum Daily Value		Average of Analyses		Number of Analyses	Units	
		Conc.	Mass	Conc.	Mass		Conc.	Mass
Delta-BHC								
PCB-1242								
PCB-1254								
PCB-1221								
PCB-1232								
PCB-1248								
PCB-1260								
PCB-1016								
Toxaphene (TCDD)								
Asbestos								
Acidity								
Alkalinity								
Bacteria								
CBOD5								
Chloride								
Chlorine								
Fluoride								
Hardness								
Magnesium								
NH3-N								
Oil and Grease								
TSS								
TOC								
Kjeldahl N								
Nitrate N								
Nitrite N								
Organic N								
Orthophosphate P								
Phosphorous								
Sodium								
Specific Conductivity								
Sulfate (SO4)								
Sulfide (S)								
Sulfite (SO3)								
Antimony								
Arsenic								
Barium								
Beryllium								

Pollutant	Detection Level Used	Maximum Daily Value		Average of Analyses		Number of Analyses	Units	
		Conc.	Mass	Conc.	Mass		Conc.	Mass
Cadmium								
Chromium								
Copper								
Cyanide								
Lead								
Mercury								
Molybdenum								
Nickel								
Selenium								
Toxaphene								
Silver								
Thallium								
Zinc								

Do you anticipate requesting a monitoring waiver for regulated pollutants which you believe to not be present in your process wastestream(s)?

- Yes
- No

In order to request a monitoring waiver for pollutants not present, you must provide data from at least one sampling of your facility's wastewater prior to any treatment present at your facility that is representative of all wastewater from all processes. The request of a monitoring waiver must be signed in accordance with 40 CFR 403.12(l), and include the certification statement in 40 CFR 403.6(a)(2)(ii). Do you wish to make this request?

- Yes
- No

SECTION G - TREATMENT

Is any form of wastewater treatment (see list below) practiced at this facility?

- Yes
 No

Is any form of wastewater treatment (or changes to an existing wastewater treatment) planned for this facility within the next three years?

- Yes, describe: _____
 No

Treatment devices or processes used or proposed for treating wastewater or sludge (check as many as appropriate).

- Air flotation
 Centrifuge
 Chemical precipitation
 Chlorination
 Cyclone
 Filtration
 Flow equalization
 Grease or oil separation, type: _____
 Grease trap
 Grinding filter
 Grit removal
 Ion exchange
 Neutralization, pH correction
 Ozonation
 Reverse osmosis
 Screen
 Sedimentation
 Septic tank
 Solvent separation
 Spill protection
 Sump
 Rainwater diversion or storage
 Biological treatment, type: _____
 Other chemical treatment, type: _____
 Other physical treatment, type: _____
 Other, type: _____

Is process wastewater mixed with nonprocess wastewater prior to the sampling point?

- Yes, describe: _____
 No

Description

Describe the pollutant loadings, flow rates, design capacity, physical size, and operating procedures of each treatment facility checked above.

Attach a process flow diagram for each existing treatment system. Include process equipment, by-products, by-product disposal method, waste and by-product volumes, and design and operating conditions.

Describe any changes in treatment or disposal methods planned or under construction for the wastewater discharge to the sanitary sewer. Please include estimated completion dates.

Do you have a manual on the correct operation of your treatment equipment?

- Yes
- No

Do you have written maintenance schedule for your treatment equipment?

- Yes
- No

SECTION H - FACILITY OPERATIONAL CHARACTERISTICS

Shift Information		Mon.	Tues.	Wed.	Thur.	Fri.	Sat.	Sun.
Work Days								
Shifts per work day								
Employees per shift	1st							
	2nd							
	3rd							
Shift start end times	1st							
	2nd							
	3rd							

Indicate whether the business activity is:

Continuous throughout the year, or

Seasonal (circle the months of the year during which the business occurs):

J	F	M	A	M	J	J	A	S	O	N	D
Comments:											

Indicate whether the facility discharge is:

Continuous throughout the year, or

Seasonal (circle the months of the year during which the business occurs):

J	F	M	A	M	J	J	A	S	O	N	D
Comments:											

Does operation shut down for vacation, maintenance, or other reasons?

Yes, indicate reasons and period when shutdown occurs

No

List types and amounts (mass or volume per day) of raw materials used or planned for use (attach list if needed):

List types and quantity of chemicals used or planned for use (attach list if needed). Include copies of Material Safety Data Sheets (if available) for all chemicals identified.

Chemical	Quantity

Building Layout – Draw to scale the location of each building on the premises. Show map orientation and location of all water meters, storm drains, numbered unit processes (from schematic flow diagram), public sewers, and each facility sewer line connected to the public sewers. Number each sewer and show existing and proposed sampling locations.

A blueprint or drawing of the facilities showing the above items may be attached in lieu of submitting a drawing on this sheet.

SECTION I - SPILL PREVENTION

Do you have chemical storage containers, bins, or ponds at your facility?

- Yes
 No

If yes, please give a description of their location, contents, size, type, and frequency and method of cleaning. Also indicate in a diagram or comment on the proximity of these containers to a sewer or storm drain. Indicate if buried metal containers have cathodic protection.

Do you have floor drains in your manufacturing or chemical storage area(s)?

- Yes
 No

If yes where do they discharge?

If you have chemical storage containers, bins, or ponds in manufacturing area, could an accidental spill lead to a discharge to (check all that apply):

- an onsite disposal system
 public sanitary sewer system (e.g., through a floor drain)
 storm drain
 to ground
 other, specify: _____
 not applicable, no possible discharge to any of the above routes

Do you have an accidental spill prevention plan (ASPP) to prevent spills of chemicals or slug discharges from entering the Control Authority's collection systems?

Yes - [Please enclose a copy with the application.]

No

N/A, not applicable since there are no floor drains and/or the facility discharge(s) only domestic wastes.

Please describe below any previous spill events and remedial measures taken to prevent their reoccurrence.

SECTION J - BEST MANAGEMENT PRACTICES

Describe the types of best management practices (BMPs) you employ to prevent pollutants from entering a facility's waste stream or from reaching a discharge point. BMPs are management and operational procedures such as schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to implement the general and specific prohibitions listed in 40 CFR 403.5(a)(1) and (b). BMPs also include treatment requirements, operating procedures, and practices to control plant site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw materials storage.

Do you have the potential for a slug discharge to the sewer system? A slug discharge is any discharge of a non-routine episodic nature, including but not limited to an accidental spill or a non-customary batch discharge, which has a reasonable potential to cause interference or pass through, or in any other way violate the POTW's regulations, local limits or permit conditions [40 CFR 403.8(f)(2)(v)].

- Yes
 No

Please describe the type of the potential slug discharge, including quality and content.

Please describe current mechanisms for prevention of slug discharges.

Please describe where and how raw materials are stored.

SECTION K - NON-DISCHARGED WASTES

Are any waste liquids or sludges generated and not disposed of in the sanitary sewer system?

- Yes
 No

Waste Generated	Quantity (per year)	Disposal Method

Indicate which wastes identified above are disposed of at an off-site treatment facility and which are disposed of on-site.

If any of your wastes are sent to an off-site centralized waste treatment facility, identify the waste and the facility.

If an outside firm removes any of the above checked wastes, state the name(s) and address(es) of all waste haulers:

a.		b.	
	Permit No. (if applicable):		Permit No. (if applicable):

Have you been issued any Federal, State, or local environmental permits?

- Yes
 No

If yes, please list the permit(s):

Describe where and how waste liquids and sludges are stored.

SECTION L - NON-DISCHARGED WASTES

Are all applicable Federal, State, or local pretreatment standards and requirements being met on a consistent basis?

- Yes
- No
- Not yet discharging

If No:

What additional operations and maintenance procedures are being considered to bring the facility into compliance? Also, list additional treatment technology or practice being considered in order to bring the facility into compliance.

Provide a schedule for bringing the facility into compliance. Specify major events planned along with reasonable completion dates. Note that if Marion Utilities issues a permit to the applicant, it may establish a schedule for compliance different from the one submitted by the facility.

Milestone Activity	Completion Date

AUTHORIZED REPRESENTATIVE STATEMENT

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name(s)

Title

Signature

Date

Phone

INSTRUCTIONS TO FILL OUT WASTEWATER DISCHARGE PERMIT APPLICATION

The permit application must be completed through question E.1. If you answer “no” to question E.1., you may skip to Section I. Otherwise, if a question is not applicable, indicate so on the form. Instructions to some questions on the permit application are given below.

SECTION A – INSTRUCTIONS (GENERAL INFORMATION)

1. Enter the facility’s official or legal name. Do not use a colloquial name.
2. Provide the physical location of the facility that is applying for a discharge permit.
3. Provide the mailing address where correspondence from the Control Authority may be sent.
4. Provide all the names of the authorized signatories for this facility for the purposes of signing all reports. The designated signatory is defined as:
 - a. A responsible corporate officer, if the Industrial User submitting the reports is a corporation. For the purpose of this paragraph, a responsible corporate officer means:
 - (i) a president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy- or decision-making functions for the corporation, or
 - (ii) the manager of one or more manufacturing, production, or operating facilities, provided, the manager is authorized to make management decisions which govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiate and direct other comprehensive measures to assure long-term environmental compliance with environmental laws and regulations; can ensure that the necessary systems are established or actions taken to gather complete and accurate information for control mechanism requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.
 - b. A general partner or proprietor if the Industrial User submitting the reports is a partnership or sole proprietorship respectively.
 - c. The principal executive officer or director having responsibility for the overall operation of the discharging facility if the Industrial User submitting the reports is a Federal, State, or local governmental entity, or their agents.
 - d. A duly authorized representative of the individual designated in paragraph (a), (b), or (c) of this section if:
 - (i) the authorization is made in writing by the individual described in paragraph (a), (b), or (c);
 - (ii) the authorization specifies either an individual or position having responsibility for the overall operation of the facility from which the Industrial Discharge originates, such as the position of plant manager, operator of a well, or well field superintendent, or a position of equivalent responsibility, or having overall responsibility for environmental matters for the company; and
 - (iii) the written authorization is submitted to the Utility.

- e. If an authorization under paragraph (d) of this section is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, or overall responsibility for environmental matters for the company, a new authorization satisfying the requirements of paragraph (d) of this section must be submitted to the City prior to or together with any reports to be signed by an authorized representative.
5. Provide the name of a person who is thoroughly familiar with the facts reported on this form and who can be contacted by the Control Authority (e.g., the plant manager).

SECTION B – INSTRUCTIONS (BUSINESS OPERATIONS)

1. Check off all operations that occur or will occur at your facility. If you have any questions regarding how to categorize your business activity, contact the Control Authority for technical guidance.
2. Provide a brief narrative description of all operations at this facility.
3. For all processes found on the premises, indicate the NAICS (North America Industry Classification System) code which replaces the Standard Industrial Classification (SIC) system. To determine the NAICS code for a facility see North American Industry Classification System--United States, 2002 which includes definitions for each industry, tables showing correspondence between 2002 NAICS and 1997 NAICS for codes that changed, and a comprehensive index--features also available on this web site. To order the 1400-page 2002 Manual, in print, call NTIS at (800) 553-6847 or (703) 605-6000, or check the NTIS web site. The 1250-page 1997 Manual, showing correspondence between 1997 NAICS and 1987 SIC, is also available. The 2002 and 1997 versions of NAICS are available on CD-ROMs, which can be ordered at NTIS. See <http://www.census.gov/epcd/www/naics.html> which lists NAICS codes and definitions for each industry.
4. List the types of products, giving the common or brand name and the proper or scientific name. Enter from your records the average and maximum amounts produced daily for each operation for the previous calendar year, and the estimated total daily production for this calendar year. Be sure to specify the daily units of production. Attach additional pages as necessary.
5. Provide the facility's long-term average production value for the past 5 years, if you are a categorical user with production based limits.


SECTION C – INSTRUCTION (WATER SUPPLY)

1. Provide daily average water usage within the facility. Contact cooling water is cooling water that during the process comes into contact with process materials, thereby becoming contaminated. Non-contact cooling water does not come into contact with process materials. Sanitary water includes only water used in restrooms. Plant and equipment washdown includes floor washdown. If sanitary flow is not metered, provide an estimate based on 15 gallons per day (gpd) for each employee.

SECTION D – INSTRUCTION (WASTEWATER DISCHARGE INFORMATION)

1. If you answer “no” to this question, skip to Section I, otherwise complete the remainder of the application.
2. A schematic flow diagram is required to be completed. Assign a sequential reference number to each process starting with No. 1. An example of a drawing is shown below in Figure 1. To determine your average daily volume and maximum daily volume of wastewater flow, you may have to read water meters, sewer meters, or make estimates of volumes that are not directly measurable.

Figure 1. Schematic Flow Diagram



3. Users should report average daily and daily maximum wastewater flows from each process, operation, or activity present at the facility. Categorical users should report average daily and maximum daily wastewater flows from every regulated, unregulated, and dilution process. A regulated waste stream is defined as wastewater from an industrial process that is regulated for a particular pollutant by a categorical pretreatment standard. Unregulated waste streams are waste streams from an industrial process that are not regulated by a categorical pretreatment standard and are not defined as a dilution waste stream. Dilution waste streams include sanitary wastewater, boiler blow down, noncontact cooling water or blow down, stormwater streams, demineralized backwash streams and process waste streams from certain industrial subcategories exempted by EPA from categorical pretreatment standards. [For further details see 40 CFR 403.6 (e).]
4. Users should report the average daily and daily maximum wastewater flows for each nonprocess wastewater flows. Nonprocess wastewater flows include, but are not limited to, cooling tower blow down and boiler blow down.

SECTION E – INSTRUCTION (CHARACTERISTICS OF DISCHARGE)

Provide the results of sampling and analysis identifying the nature and concentration (or mass, if required) or regulated pollutants in the discharge from each regulated process. Both daily maximum and average concentration values (or mass, if required) must be reported. The sample must be representative of daily operations.

If the User is subject to categorical effluent limits, the user must take a minimum of one representative sample to compile the necessary data. Samples should be taken immediately downstream from pretreatment facilities if such exists or immediately downstream from the regulated process if no pretreatment exists. If other wastewaters are mixed with the regulated wastewater prior to pretreatment, the user should measure the flows and concentrations. Sampling and analysis must be performed in accordance with the techniques prescribed in 40 CFR part 136 and amendments thereto. Furthermore, the date and place, and the methods of analysis must be submitted with the application.


Historical data may be used if the data provides sufficient information to determine the need for industrial pretreatment measures.

SECTION F – INSTRUCTION (FACILITY OPERATIONAL CHARACTERISTICS)

1. Indicate whether the business activity is continuous throughout the year or if it is seasonal. If the activity is seasonal, circle the months of the year during which the discharge occurs. Make any comments you feel are required to describe the variation in operation of your business activity.
2. Indicate any shut downs in operation which may occur during the year and indicate the reasons for shutdown.
3. Provide a listing of all primary raw materials used (or planned) in the facility's operations. Indicate amount of raw material used in daily units.

- Provide a listing of all chemicals used (or planned) in the facility's operations. Indicate the amount use of planned in daily units. Avoid the use of trade names of chemicals. If trade names are used, also provide chemical compounds. Provide copies of all available material safety data sheets for all chemical identified.
- A building layout or plant site plan of the premises is required to be completed. An arrow showing North as well as the map scale must be shown. The location of each existing and proposed sampling location and facility sewer line must be clearly identified as well as all sanitary and wastewater drainage plumbing. Number each unit process discharging wastewater to the public sewer. Use the same number system shown in Figure 2, the schematic flow diagram. An example of the drawing required is shown below.

Figure 2. Building Layout



SECTION G – INSTRUCTION (SPILL PREVENTION)

1. Describe how the spill occurred, what was spilled, when the spill happened, where it occurred, how much was spilled, and whether or not the spill reached the sewer. Also explain what measures have been taken to prevent a reoccurrence or what measures have been taken to limit damage if another spill occurs.

SECTION H – INSTRUCTIONS (NON-DISCHARGED WASTES)

1. For wastes not discharged to the Control Authority's sewer, indicate types of waste generated, amount generated, the way in which the waste is disposed (e.g., incinerated, hauled, etc.), and the location of disposal.
2. Onsite disposal system could be a septic system, lagoon, holding pond (evaporative-type), etc.
3. Types of permits could be: air, hazardous waste, underground injection, solid waste, NPDES (for discharges to surface water), etc.

SECTION I – INSTRUCTIONS (AUTHORIZED SIGNATURES)

See instructions for question 4 in Section A, for a definition of an authorized representative.

If you have any questions, please contact Marion Utilities at 765-664-2391 ext. 128. Submit the completed form to:

Marion Utilities
c/o Program Coordinator
1540 N. Washington St.
Marion, IN 46952